

L Number	Hits	Search Text	DB	Time stamp
-	493	(peer\$1 peer or peer or p2p) adj network and @ad<20001207	USPAT;	2004/05/03 16:21
			US-PGPUB;	
		•	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3921	(709/224,213,216).CCLS.	USPAT;	2004/04/29 19:30
			US-PGPUB;	
			EPO; JPO;	
		· .	DERWENT;	
			IBM_TDB	
-	26	((peer\$1peer or peer or p2p) adj network and @ad<20001207) and	USPAT;	2004/04/29 19:30
		((709/224,213,216).CCLS.)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	175	((peer\$1peer or peer or p2p) adj network and @ad<20001207) and	USPAT;	2004/05/03 16:21
		(display\$3 or transmit\$5) near6 (topology or connection or maximum or	US-PGPUB;	
		current of classification)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	52	((peer\$1peer or peer or p2p) adj network and @ad<20001207) and	USPAT;	2004/04/29 19:37
		(display\$3 or transmit\$5) near6 (topology or connection or maximum or	US-PGPUB;	
		current of classification) near2 (information or data)	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	26	((peer\$1peer or peer or p2p) adj network and @ad<20001207) and	USPAT;	2004/04/29 19:38
		(display\$3 or transmit\$5) near6 (topology or load or maximum or current	US-PGPUB;	
		of classification) near2 (information or data)	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	20	(peer\$1peer or p2p) same (application or (user adj interface) or gui) and	USPAT;	2004/04/29 19:41
		@ad<20001207	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	infrasearch or gonesilent and @ad<20001207	USPAT;	2004/04/30 11:05
			US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
		(II.C.CO.CO.C.A.III.) Post	IBM_TDB	
-	2	("6636854").PN.	USPAT;	2004/04/30 10:15
			US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
	<u>.</u>	/4/2001610#1#2222120#1#2477500#1#2570000#\ 75.1	IBM_TDB	2004/04/20 10 15
-	2724	("6081518" "6336138" "6477580" "6529909").PN.	USPAT	2004/04/30 10:16
-	2724	(709/227,228).CCLS.	USPAT;	2004/04/30 11:05
		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	203	((709/227,228).CCLS.) and characteri\$7 near3 (data or information or	IBM_TDB	2004/04/30 11:15
	203	message or thumbnail) and @ad<20001207	USPAT;	2004/04/30 11:15
		incssage of utumonan) and (wad~20001207	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	40	((709/227,228).CCLS.) and (node or computer or terminal or client or	IBM_TDB	2004/04/20 31:07
	40	li a la l	USPAT;	2004/04/30 11:07
1		thumbnail) and @ad<20001207	US-PGPUB; EPO; JPO;	
			DERWENT;	
<u> </u>			IBM TDB	
		·	I IDINI I DD	

-	2	((709/227,228).CCLS.) and characteri\$7 near3 (data or information or message or thumbnail) same peer and @ad<20001207	USPAT; US-PGPUB;	2004/04/30 11:09
			EPO; JPO; DERWENT; IBM_TDB	
-	14	((709/227,228).CCLS.) and characteri\$7 near3 (data or information or message or thumbnail) and peer adj2 network and @ad<20001207	USPAT; US-PGPUB; EPO; JPO;	2004/04/30 11:15
			DERWENT; IBM_TDB	
-	1181	(709/213,248).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/30 11:14
-	0	((709/213,248).CCLS.) and characteri\$7 near3 (data or information or message or thumbnail) and peer adj2 network and @ad<20001207	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/30 11:15
-	76	((709/213,248).CCLS.) and characteri\$7 near3 (data or information or message or thumbnail) and @ad<20001207	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/04/30 12:05
-	30	jxta	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/04/30 12:30
-	2	((709/213,248).CCLS.) and node adj characteristics	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/04/30 12:31
-	28203	("709").CLAS.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/30 12:31
-	215	(("709").CLAS.) and node near2 (characteristics or description) and @ad<20001207	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/30 12:32
- .	8	((("709").CLAS.) and node near2 (characteristics or description) and @ad<20001207) and ((peer adj peer) or p2p)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/30 12:34
-	96	(("709").CLAS.) and ((peer adj peer) or p2p) and (schedule or (maximum adj connection) or fan\$1in or fan\$1out)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/30 12:35
-	34	(("709").CLAS.) and ((peer adj peer) or p2p) and (schedule or (maximum adj connection) or fan\$1in or fan\$1out) and @ad<20001207	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/30 15:03
-	11	(("709").CLAS.) and ((peer adj peer) or p2p) and (schedule or (maximum adj connection) or fan\$1in or fan\$1out) same (node or connected) and @ad<20001207	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/30 12:37

-	4	((peer adj peer) or p2p) and (gui or interface or dispaly) same (schedule or (maximum adj connection) or fan\$1in or fan\$1out) same (node or connected) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:39
-	15	. (("709").CLAS.) and data adj shar\$3 adj application and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/30 12:41
-	5	(("709").CLAS.) and gnutella and @ad<20001207	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:45
	67	("4912656" "5056085" "5058105" "5079767" "5117422" "5309437" "5426637" "5459725" "5471623" "5535199" "5568487" "5636371" "5644714" "5673265" "5696903" "5732074" "5732086" "5732219" "5734865" "5737526" "5754830" "5761425" "5764756" "5790548" "5790553" "5799016" "5802285" "5850592" "5864711" "5867660" "5867667" "5870605" "5874960" "5899980" "5907610" "5925097" "5928335" "5935215" "5948054" "5949975" "5956484" "5970232" "5974043" "5987506" "6003088" "6013107" "6023734" "6029171" "6032188" "6038602" "6047289" "6094676" "6115580" "6167432" "6173314" "6199116" "6216177" "6223212" "6243691" "6268855" "6271839" "6272548" "6285363" "6304928" "6321270" "6463078" "6524189" "2002/0027896").PN.	USPAT	2004/04/30 12:44
-	13	(("709").CLAS.) and user adj3 (select\$3 or choos\$4) with (node or computer or connection) same based adj3 (charateristics or information or optimal or load) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/30 12:57
-	0	(("709").CLAS.) and (upon or once or when) near4 (connect\$3) with automatic\$6 adj (sen\$4 or transmit\$5) with (characteristics or description or describing) near4 (node or terminal or computer) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:34
-	13	(("709").CLAS.) and (upon or response) near4 (connect\$3) same (characteristics or description or describing) near4 (node or terminal or computer) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:57
-	17	(("709").CLAS.) and user adj3 (select\$3 or choos\$4) with (node or computer or connection) same based adj3 (characteristics or information or optimal or load) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/30 12:57
-	0	(("709").CLAS.) and (upon or once or when) near4 (connect\$3) with automatic\$6 adj (sen\$4 or transmit\$5) with (characteristics or description or describing) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:58
	5	(("709").CLAS.) and (upon or once or when) near4 (connect\$3) with (sen\$4 or transmit\$5) with (characteristics or description or describing) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:02
-	73	((709/227,228).CCLS.) and (upon or once or when) near4 (connect\$3) same (sen\$4 or transmit\$5) near6 (information or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:04

-	32	((709/227,228).CCLS.) and (upon or once or when) near4 (connect\$3) with (sen\$4 or transmit\$5) near6 (information or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/30 13:42
	0	((709/227,228).CCLS.) and (upon or once or when) near4 (connect\$3) same (automatic\$5 near6 request\$3) near6 (information or data) and @ad<20001207	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/30 13:43
-	8	((709/227,228).CCLS.) and (upon or once or when) near4 (connect\$3) with request\$4 near6 (information or data) and @ad<20001207	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/30 13:50
-	29	((709/227,228).CCLS.) and (connect\$3) same automatic\$6 same request\$4 near6 (information or data) and @ad<20001207	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/30 13:47
-	10	(("709").CLAS.) and (connect\$3) same automatic\$6 adj2 request\$4 near6 (information or data) and @ad<20001207	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/04/30 14:05
-	58	(("709").CLAS.) and (upon or once or when) near4 (connect\$3) with request\$4 near6 (information or data) and @ad<20001207	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/04/30 13:51
-	1	(("709").CLAS.) and (upon or once or when) near4 (connect\$3) with request\$4 near6 (information or data) and peer and @ad<20001207	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/04/30 13:51
-	102	(connect\$3) same automatic\$6 adj2 request\$4 near6 (information or data) and @ad<20001207	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/04/30 14:40
-	21	("5049873" "5261044" "5530806" "5572643" "5659732" "5687292" "5721908" "5768508" "5768524" "5768578" "5771226"	EPO; JPO; DERWENT; IBM_TDB USPAT	2004/04/30 14:13
	1 30	"5774668" "5774669" "5890172" "5907837" "6006252" "6009459" "6175830" "6108652" "6108686" "6163804").PN. 6427165.URPN. (connect\$3) near10 automatic\$6 adj2 request\$4 near6 (information or	USPAT USPAT;	2004/04/30 14:39 2004/04/30 14:41
		data) and @ad<20001207	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	9	automatic\$6 adj2 request\$4 near6 (connection or load or schedule or classification or category) near2 (information or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/30 14:44
-	155	(("709").CLAS.) and (connect\$3) same display\$3 near6 (connection or load or schedule or classification or category) near2 (information or data) and @ad<20001207	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/30 14:44
	1	(("709").CLAS.) and (connect\$3) same automatic\$5 near display\$3 near6 (connection or load or schedule or classification or category) near2 (information or data) and @ad<20001207	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/30 14:46
			IBM_TDB	

-	130	(("709").CLAS.) and (connect\$3) near10 display\$3 near3 (connection or load or schedule or classification or category) near2 (information or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/30 14:50
-	13	. ((("709").CLAS.) and (connect\$3) same display\$3 near6 (connection or load or schedule or classification or category) near2 (information or data) and @ad<20001207) and peer	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/30 14:46
-	5	(("709").CLAS.) and (connect\$3) near10 display\$3 near3 (speed or load or schedule or classification or category) near2 (information or data) and @ad<20001207	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/30 14:59
-	3	. (("709").CLAS.) and freenet and @ad<20001207	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/30 14:59
-	10	(("709").CLAS.) and ((peer adj peer) or p2p) and (schedule same time same connect\$3) and @ad<20001207	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/04/30 15:05
-	23	. (("709").CLAS.) and (schedule near4 time near4 connect\$3) and @ad<20001207	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/04/30 15:14
_	1	(("709").CLAS.) and (interface or gui) same display with (node or	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/30 15:16
	7	computer) adj information and @ad<20001207 . (("709").CLAS.) and (application or interface or gui) same display with	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/30 15:18
		(node or computer) adj information and @ad<20001207	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13.16
-	9	(("709").CLAS.) and (problem or disadvantage or inefficient) same file adj sharing and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/30 15:20
-	3	(("709").CLAS.) and (peer or p2p) same file adj sharing and @ad<20001207	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/30 15:32
-	0	(("709").CLAS.) and (imesh or scourexchange) and @ad<20001207	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/30 15:22
-	1	(("709").CLAS.) and (imesh\$4 or scourexchange\$4) and @ad<20001207	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/04/30 15:22
-	7	(("709").CLAS.) and (peer or p2p) same scan and @ad<20001207	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/04/30 15:32
			EPO; JPO; DERWENT; IBM_TDB	

	16	(("709").CLAS.) and (peer or p2p) same scan\$4 and @ad<20001207	USPAT;	2004/04/30 15:33
1	10	((703).CLAS.) and (peer of p2p) same scans4 and (@ad~20001207	US-PGPUB;	2004/04/30 13:33
			EPO; JPO;	•
			DERWENT;	
	_		IBM_TDB	
-	2	(("709").CLAS.) and (upon or once or when) adj4 (connect\$3) adj10	USPAT;	2004/04/30 15:53
		automatic\$6 near2 (sen\$4 or transmit\$5) and @ad<20001207	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
		· ·	IBM_TDB	
-	32	(("709").CLAS.) and (connect\$3) adj10 automatic\$6 near2 (sen\$4 or	USPAT;	2004/04/30 15:39
		transmit\$5) and @ad<20001207	US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
<u>-</u>	22	(("709").CLAS.) and (connect\$3) adj10 automatic\$6 near2 (request\$3)	USPAT;	2004/04/30 15:46
		and @ad<20001207	US-PGPUB;	2004/04/50 15.40
		and wat 20001207	EPO; JPO;	
	ļ			
	1		DERWENT;	
		(("700") CLAS) and (connect\$2) come ====================================	IBM_TDB	2004/04/20 15:40
-	1	(("709").CLAS.) and (connect\$3) same automatic\$6 near2 (request\$3)	USPAT;	2004/04/30 15:48
		with connection adj (information or data) and @ad<20001207	US-PGPUB;	
]			EPO; JPO;	
]			DERWENT;	
			IBM_TDB	
-	9321	(709/223-228).CCLS.	USPAT;	2004/04/30 15:48
			US-PGPUB;	
			EPO; JPO;	
ł			DERWENT;	
ł			IBM_TDB	
l -	80	((709/223-228).CCLS.) and current adj load and @ad<20001207	USPAT;	2004/04/30 15:49
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	((709/223-228).CCLS.) and display\$3 near4 current adj load and	USPAT;	2004/04/30 15:50
		@ad<20001207	US-PGPUB;	2001/01/30 13:30
		(Watt - 2000 1 2 0 7	EPO; JPO;	
			DERWENT;	
	,	((700/222 228) CCI S) and display@2 arms assumed add load and	IBM_TDB	2004/04/20 15:50
l -	1	((709/223-228).CCLS.) and display\$3 same current adj load and	USPAT;	2004/04/30 15:50
	1	@ad<20001207	US-PGPUB;	
Į	l		EPO; JPO;	
ļ	1		DERWENT;	
	·	(1) 4 4 7 4 4 9 9 1 1 1 4 9 4 7 9 7 1 1 1 4 9 9 9 9 9 9 1 1 1 1 1 1 1 1 1 1	IBM_TDB	
-	10	("4434489" "4847837" "4881230" "5123017" "5159685"	USPAT	2004/04/30 15:51
	1	"5233688" "5291590" "5293323" "5297248" "5317568").PN.		
-	0	(("709").CLAS.) and (upon or once or when) adj4 (connect\$3) adj10	USPAT;	2004/04/30 15:53
ļ		automatic\$6 near6 (status) and @ad<20001207	US-PGPUB;	
Ì			EPO; JPO;	
•			DERWENT;	
		· ·	IBM_TDB	
-	8	(("709").CLAS.) and (connect\$3) adj10 automatic\$6 near6 (status) and	USPĀT;	2004/04/30 15:55
		@ad<20001207	US-PGPUB;	
] -	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<u>-</u>	1595	(709/204,205).CCLS.	USPAT;	2004/04/30 15:55
	1995	(1071204,200).0000.	US-PGPUB;	200704130 13.33
			EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	L

•	65	((709/204,205).CCLS.) and automatic\$5 near3 (send\$3 or transmit\$4 or exchang\$3) and @ad<20001207	USPAT; US-PGPUB;	2004/04/30 16:23
			EPO; JPO;	
			DERWENT;	•
	1		IBM_TDB	
-	18		USPAT;	2004/04/30 15:57
	1	automatic\$5 near3 (send\$3 or transmit\$4 or exchang\$3) and	US-PGPUB;	
	1	@ad<20001207	EPO; JPO;	
			DERWENT;	
	0	((709/204,205).CCLS.) and display same (node adj content) and	IBM_TDB	2004/04/20 16:24
•	"	((709/204,203).CCLS.) and display same (node adj content) and (20001207)	USPAT; US-PGPUB;	2004/04/30 16:24
		(tgad -20001207	EPO; JPO;	!
			DERWENT;	
			IBM TDB	
	0	((709/204,205).CCLS.) and display\$3 same (node adj content) and	USPAT;	2004/04/30 16:24
	1	@ad<20001207	US-PGPUB;	
	1		EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	4	1 ((, , , ,), , , , , , , , , , , , , ,	USPAT;	2004/04/30 16:29
		@ad<20001207	US-PGPUB;	
			EPO; JPO;	
	-		DERWENT;	
	5	("5159669" "5546517" "5572643" "5634062" "5717860").PN.	IBM_TDB USPAT	2004/04/30 16:28
-	7	(3139009 3340317 3372043 3034002 3717800).FN. napster.asn.	USPAT;	2004/04/30 10:28
-	'	inapsici.asii.	US-PGPUB;	2004/04/30 17:00
	1		EPO; JPO;	
			DERWENT;	
	-		IBM_TDB	
	0	6366907.URPN.	USPĀT	2004/04/30 16:34
-	4	6094676.URPN.	USPAT	2004/04/30 16:35
-	71	(("709").CLAS.) and node adj attribute	USPAT;	2004/05/03 14:31
	l		US-PGPUB;	
		•	EPO; JPO;	
			DERWENT;	
_	42	(("709").CLAS.) and node adj attribute and @ad<20001207	IBM_TDB USPAT;	2004/04/30 17:10
	72	((707).CEAS.) and node adj attribute and (wad 20001207	US-PGPUB;	2004/04/30 17.10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	80	(("709").CLAS.) and request same node adj (characteristic or attribute or	USPAT;	2004/04/30 17:30
		information or description or status) and @ad<20001207	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	30	((#700#) CLAS) and (automotion(automotion (IBM_TDB	2004/04/20 17:21
-	29	(("709").CLAS.) and (automatic\$6 or connect\$4) same (exchang\$3 or request\$3) same node adj (characteristic or attribute or information or	USPAT;	2004/04/30 17:21
		description or status) and @ad<20001207	US-PGPUB; EPO; JPO;	
		description of status) and (wad \2000120)	DERWENT;	
		· ·	IBM_TDB	
] -	71	(("709").CLAS.) and (exchang\$3 or request\$3) near3 node adj	USPAT;	2004/04/30 17:22
		(characteristic or attribute or information or description or status) and	US-PGPUB;	
1		@ad<20001207	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(("709").CLAS.) and connect\$3 adj10 (exchang\$3 or request\$3) near3	USPAT;	2004/04/30 17:23
ŀ		node adj (characteristic or attribute or information or description or	US-PGPUB;	
		status) and @ad<20001207	EPO; JPO;	
			DERWENT;	
L	1		IBM_TDB	

-	21	(("709").CLAS.) and connect\$3 same (exchang\$3 or request\$3) near3 node adj (characteristic or attribute or information or description or	USPAT; US-PGPUB;	2004/04/30 17:26
		status) and @ad<20001207	EPO; JPO; DERWENT;	
		(//mmoon) Ox 40 > 1/ 1	IBM_TDB	2004/04/20 12 20
-	9	(("709").CLAS.) and (node or peer or computer or terminal) same	USPAT;	2004/04/30 17:29
		(exchang\$3 or request\$3 or send\$3 or transmit\$5) adj2 (characteristic or attribute or compatib\$6 or description or status) with regard\$3 and	US-PGPUB;	
	1	@ad<20001207	EPO; JPO; DERWENT;	
		(Wad \ 2000 207	IBM_TDB	
_	248	(("709").CLAS.) and request same (characteristic or attribute or	USPAT;	2004/04/30 17:31
!		information or description or status) adj2 node and @ad<20001207	US-PGPUB;	
		. , , , ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	17	(("709").CLAS.) and request same (characteristic or attribute or	USPAT;	2004/05/03 10:52
		information or description or status) adj2 peer and @ad<20001207	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
.	5	(("709").CLAS.) and request same (compatibility) same (node or peer)	USPAT;	2004/05/03 14:06
		and @ad<20001207	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(///##00#) GV + G > 1 #	IBM_TDB	2004/05/02 11 06
-	14	(("709").CLAS.) and discovery adj6 request same (node or peer) and	USPAT;	2004/05/03 11:06
		@ad<20001207	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9	(("709").CLAS.) and (peer or node) same (connect\$3) same (compare or	USPAT;	2004/05/03 11:11
		exchange or determine) near4 (compatib\$6 or characteri\$6) and	US-PGPUB;	
		@ad<20001207	EPO; JPO;	
		•	DERWENT;	
	254	(("709").CLAS.) and (peer or node) same (connect\$3) same (request or	IBM_TDB USPAT;	2004/05/03 11:15
-	254	compare or exchange or determine) near6 (compatib\$6 or characteri\$6 or	US-PGPUB;	2004/05/05 11:15
i		protocol or speed or load or category or topology or connections! or	EPO; JPO;	
		maximum) and @ad<20001207	DERWENT;	
			IBM_TDB	
-	6	(("709").CLAS.) and (peer or node) same response adj2 (connect\$3) same	USPAT;	2004/05/03 11:13
		(request or compare or exchange or determine) near6 (compatib\$6 or	US-PGPUB;	
		characteri\$6 or protocol or speed or load or category or topology or connections! or maximum) and @ad<20001207	EPO; JPO; DERWENT;	
		to interioris. or interintally and today 20001201	IBM_TDB	
-	6	(("709").CLAS.) and (peer or node) same (connect\$3) same automatic\$6	USPAT;	2004/05/03 13:20
		same (request or compare or exchange or determine) near6 (compatib\$6	US-PGPUB;	
		or characteri\$6 or protocol or speed or load or category or topology or	EPO; JPO;	
		connections! or maximum) and @ad<20001207	DERWENT;	
	3	(("709").CLAS.) and (peer or node) same (connect\$3) same peer adj peer	IBM_TDB USPAT;	2004/05/03 11:21
_	3	same (request or compare or exchange or determine) near6 (compatib\$6	US-PGPUB;	2007/03/03 II.21
		or characteri\$6 or protocol or speed or load or category or topology or	EPO; JPO;	
		connections! or maximum) and @ad<20001207	DERWENT,	
			IBM_TDB	
-	23	(("709").CLAS.) and (peer or node) same (connect\$3) same (request or	USPAT;	2004/05/03 11:27
		compare or exchange or determine) near6 (compatib\$6 or characteri\$6 or	US-PGPUB; EPO; JPO;	
		protocol or speed or load or category or topology or connections! or maximum) and peer adj peer and @ad<20001207	DERWENT;	
		maximam) and peer adj peer and wad 20001207	IBM TDB	
-	30	(("709").CLAS.) and (computer or peer or node) near4 (connect\$3) same	USPAT;	2004/05/03 12:02
		(detect\$3) near4 (compatib\$6 or characteri\$6 or protocol or speed or load	US-PGPUB;	
		or category or topology or connections! or maximum) and	EPO; JPO;	
		@ad<20001207	DERWENT;	
L	L		IBM_TDB	<u> </u>

-	1	(("709").CLAS.) and ((peer adj peer) or p2p) and (unwanted or \$3relevant or wasteful or wasted or unneeded) adj connections and	USPAT; US-PGPUB;	2004/05/03 12:03
1		@ad<20001207	EPO; JPO;	
		0	DERWENT;	
			IBM_TDB	
1_	1	(("709").CLAS.) and ((peer adj peer) or p2p) and (view\$3 or display\$3)	USPAT;	2004/05/03 12:09
1		near4 information adj2 connection and @ad<20001207	US-PGPUB;	2004/05/05 12:07
		IICM 4 Information adj2 connection and (a) ad \2000 1207	EPO; JPO;	
1			DERWENT;	
		(#50C1044# L#570C051#) DNI	IBM_TDB	2004/05/02 12 05
1-	2	("5261044" "5796951").PN	USPAT	2004/05/03 12:05
-	1	6041349.URPN.	USPAT	2004/05/03 12:06
1 -	0	(("709").CLAS.) and ((peer adj peer) or p2p) and (view\$3 or display\$3)	USPAT;	2004/05/03 12:10
1	ļ ļ	near4 connection adj information and @ad<20001207	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	į į		IBM_TDB	
-	1	(("709").CLAS.) and ((peer adj peer) or p2p) and (view\$3 or display\$3)	USPAT;	2004/05/03 12:10
	1	same connection adj information and @ad<20001207	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
	1		IBM_TDB	
1_	0	(("709").CLAS.) and ((peer adj peer) or p2p) and (view\$3 or display\$3)	USPAT;	2004/05/03 12:10
ĺ		same connection adj data and @ad<20001207	US-PGPUB;	200 1103/03 12:10
		Same connection adjuata and today 20001207	EPO; JPO;	
	!			
			DERWENT;	
	ا ا	(/IITOOII) OLAG) . 1/ 1	IBM_TDB	2004/05/02 12 11
-	18	(("709").CLAS.) and (peer or node or computer) same (view\$3 or	USPAT;	2004/05/03 12:11
		display\$3) near6 connection adj (information or status or statistics or	US-PGPUB;	
		data) and @ad<20001207	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	38	(peer or node) same (connect\$3) same automatic\$6 same (request or	USPAT;	2004/05/03 12:22
		compare or exchange or determine) near6 (compatib\$6 or characteri\$6 or	US-PGPUB;	
		protocol or speed or load or category or topology or connections! or	EPO; JPO;	
		maximum) and @ad<20001207	DERWENT;	
		•	IBM_TDB	
-	0	(("709").CLAS.) and (connect adj schedule) near5 (optimal or best or	USPĀT;	2004/05/03 13:22
		favorable) and @ad<20001207	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
]		IBM_TDB	
_	1 1	(("709").CLAS.) and (connect adj schedule)and @ad<20001207	USPAT;	2004/05/03 13:22
	·	((/ v // ss/ to/) and (connect adj schedule)and (wad *2000120)	US-PGPUB;	2004103103 LJ.22
			EPO; JPO;	
			DERWENT;	
	1	(("709").CLAS.) and (connect adj schedule) and @ad<20001207	IBM_TDB	2004/05/02 12:22
-	1 ' !	((103).CLAS.) and (connect adj schedule) and @ad<20001207	USPAT;	2004/05/03 13:22
			US-PGPUB;	
			EPO; JPO;	İ
		•	DERWENT;	
			IBM_TDB	
-	65	(("709").CLAS.) and (connect\$3 near3 schedule) and @ad<20001207	USPAT;	2004/05/03 13:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
l -	0	(("709").CLAS.) and (connect\$3 near3 schedule) near5 (optimal or best	USPAT;	2004/05/03 13:22
		or favorable) and @ad<20001207	US-PGPUB;	
	1	2001201	EPO; JPO;	
			DERWENT;	
	1	· ·		
L	I	<u></u>	IBM_TDB	

•	1	(("709").CLAS.) and (connect\$3 near3 schedule) same (optimal or best or	USPAT;	2004/05/03 13:23
		favorable) and @ad<20001207	US-PGPUB;	
	İ		EPO; JPO;	
	İ		DERWENT;	
	1		IBM_TDB	
-	11	(("709").CLAS.) and (connect\$3) near4 time near4 (optimal or best or	USPAT;	2004/05/03 13:27
		favorable) and @ad<20001207	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	İ		IBM_TDB	
	193	(("709").CLAS.) and (node or computer or peer) same (category or	USPAT;	2004/05/03 13:29
		classification) near2 (files! or data or information) and @ad<20001207	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	14	(("709").CLAS.) and (node or computer or peer) same (category or	USPAT;	2004/05/03 13:33
	1	classification) near2 (files! or data or information) near4 (available or	US-PGPUB;	
		stored) and @ad<20001207	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	17	(("709").CLAS.) and (node or computer or peer) adj4 (requests or	USPAT;	2004/05/03 13:41
		provides or determines or detects) adj4 (type or category or	US-PGPUB;	
		classification) near2 (files! or data or information) and @ad<20001207	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	198	(("709").CLAS.) and (client or user) same (detect\$3 or determin\$3 or	USPAT;	2004/05/03 13:42
		inform\$3) near4 (type or category or classification) near2 (files! or data	US-PGPUB;	
		or information) and @ad<20001207	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	109	(("709").CLAS.) and (client or user) with (detect\$3 or determin\$3 or	USPAT;	2004/05/03 13:47
		inform\$3) near4 (type or category or classification) near2 (files! or data	US-PGPUB;	
	}	or information) and @ad<20001207	EPO; JPO;	
			DERWENT;	
	_	(//////////////////////////////////////	IBM_TDB	2004/05/00 12 48
-	2	(("709").CLAS.) and type adj2 information adj2 available adj2 server and	USPAT;	2004/05/03 13:48
		@ad<20001207	US-PGPUB;	
	ŀ		EPO; JPO;	
•			DERWENT;	
	(0)	((700) CLAS) and time a 4:0 information a 4:0 and the land	IBM_TDB	2004/05/02 12:56
-	60	(("709").CLAS.) and type adj2 information adj2 available and	USPAT;	2004/05/03 13:56
		@ad<20001207	US-PGPUB;	
		· ·	EPO; JPO;	
			DERWENT;	
_	4	(("709").CLAS.) and identify\$3 near3 type adj2 information adj2	IBM_TDB USPAT;	2004/05/03 13:50
	"	available and @ad<20001207	US-PGPUB;	2004/03/03 13.30
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	(("709").CLAS.) and type adj2 information adj2 available adj3	USPAT;	2004/05/03 13:57
		(downloaded or shared) and @ad<20001207	US-PGPUB;	
	}	(ab illinoidada di silaba) alla (ajaa 2000/207	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	0	(("709").CLAS.) and type adj2 (data or files) adj2 available adj3	USPAT;	2004/05/03 13:57
		(downloaded or shared) and @ad<20001207	US-PGPUB;	
		(24 months of crimen) min Come addorse	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	1	(("709").CLAS.) and type adj2 (data or files or information) adj2	USPAT;	2004/05/03 13:59
-	3			
-	3			
-	3	available same (peer or node) and @ad<20001207	US-PGPUB;	
-	3			

•	20	type adj2 (data or files or information) adj2 available same (peer or node) and @ad<20001207	USPAT; US-PGPUB;	2004/05/03 14:00
		·	EPO; JPO; DERWENT;	
			IBM_TDB	
-	16	(("709").CLAS.) and automatic\$6 near3 (detect\$3 or determin\$3 or	USPAT;	2004/05/03 14:07
		request\$3) same (capabilit\$3 or performance) same (node or peer) and	US-PGPUB;	
		@ad<20001207	ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	59	(("709").CLAS.) and connect\$3 near5 (detect\$3 or determin\$3 or	USPAT;	2004/05/03 14:11
		request\$3) same (capabilit\$3 or performance) same (node or peer) and @ad<20001207	US-PGPUB; EPO; JPO;	
		(Watt 120001207	DERWENT;	
			IBM_TDB	
_	5	(("709").CLAS.) and node near2 fan-\$3	USPAT;	2004/05/03 14:36
			US-PGPUB;	
			EPO; JPO;	
ļ			DERWENT;	
ļ		(///// CI AC) 1/ / 1/ / 1/ / 2 / / 2 / / / / / / / /	IBM_TDB	2004/05/02 14 20
-	41	(("709").CLAS.) and (outgoing and incoming) near2 connections and	USPAT;	2004/05/03 14:38
		@ad<20001207	US-PGPUB; EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	0	(("709").CLAS.) and number near2 (outgoing and incoming) near2	USPĀT;	2004/05/03 14:38
		connections and @ad<20001207	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		((HTOOH) OT AC)d. (444-1 2 (444-1 4 d. (444-1	IBM_TDB	2004/05/02 14:41
-	0	(("709").CLAS.) and total near2 (outgoing and incoming) near2 connections and @ad<20001207	USPAT; US-PGPUB;	2004/05/03 14:41
			EPO; JPO;	
		·	DERWENT;	
i			IBM_TDB	
-	0	(("709").CLAS.) and (display\$3 or view\$3) near2 (outgoing and	USPAT;	2004/05/03 14:41
		incoming) near2 connections and @ad<20001207	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1.	7	(("709").CLAS.) and (display\$3 or view\$3 or show\$3) same (outgoing	IBM_TDB USPAT;	2004/05/03 15:04
-	'	and incoming) near2 connections and @ad<20001207	US-PGPUB;	200 11 00,00 15.01
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	208	(("709").CLAS.) and (display\$3 or view\$3 or show\$3) same (number)	USPAT;	2004/05/03 15:04
		adj2 connections and @ad<20001207	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
.	9	(("709").CLAS.) and (display\$3 or view\$3 or show\$3) same (number)	USPAT;	2004/05/03 15:06
		adj2 connections same (incoming or outgoing) and @ad<20001207	US-PGPUB;	
			EPO; JPO;	<u> </u>
		·	DERWENT;	
		(/#700#\ CLAC\ 4 (4:1@2	IBM_TDB	2004/05/02 15:14
	63	(("709").CLAS.) and (display\$3 or view\$3 or show\$3 or monitor\$3) near6 (load or performance) same (incoming or outgoing) and	USPAT; US-PGPUB;	2004/05/03 15:14
		@ad<20001207	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12	[(, , , , , , , , , , , , , , , , , ,	USPAT;	2004/05/03 15:35
		near6 (load or performance) same (incoming and outgoing) and	US-PGPUB;	
		@ad<20001207	EPO; JPO;	
			DERWENT;	
L	<u> </u>	<u> </u>	IBM_TDB	<u> </u>

-	0	(("709").CLAS.) and (select\$3 or determin\$3 or choos\$3) near5 based adj2 (load or performance) same (incoming and outgoing) and	USPAT; US-PGPUB;	2004/05/03 15:17
		@ad<20001207	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	21	("5049873" "5261044" "5530806" "5572643" "5659732"	USPAT	2004/05/03 15:18
	-	"5687292" "5721908" "5768508" "5768524" "5768578" "5771226"	001	200 1/03/03 13:10
		"5774668" "5774669" "5890172" "5907837" "6006252"		
	•	"6009459" "6175830" "6108652" "6108686" "6163804").PN.		
	1	(("709").CLAS.) and (display\$3 or view\$3 or show\$3 or monitor\$3)	USPAT;	2004/05/03 15:39
	•	near6 (topology adj data) same (links! or hops!) and @ad<20001207	US-PGPUB;	2004/05/05 15.59
		i icaro (topology auj uata) same (miks: or hops:) and @au 20001207	EPO; JPO;	
			DERWENT;	
		•	IBM_TDB	
	2	(("709").CLAS.) and (information near3 snapshot) same (links! or hops!)	USPAT;	2004/05/03 15:40
-		and @ad<20001207	US-PGPUB;	2004/03/03 13.40
		and (6) ad <2000 1207	EPO; JPO;	
			DERWENT;	
	۸ ا	(/#700#) CLAS) and (symmony mage? (mage on mode)) some (limbel or	IBM_TDB	2004/05/02 15:41
-	0	(("709").CLAS.) and (summary near3 (peer or node)) same (links! or hops!) and @ad<20001207	USPAT; US-PGPUB;	2004/05/03 15:41
	İ	nops:// and/@au\20001207		
	ŀ		EPO; JPO;	
			DERWENT;	
	۱	(/BEOON) OT AC) 1 (IBM_TDB	2004/05/02 15 46
-	40	(("709").CLAS.) and (summary or thumbnail or snapshot or brief or	USPAT;	2004/05/03 15:46
		statement) same connected near2 (node or peer) and @ad<20001207	US-PGPUB;	
	ŀ		EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	10	(("709").CLAS.) and (within near6 (hops! or links!)) same connected	USPAT;	2004/05/03 15:48
		near2 (node or peer) and @ad<20001207	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		· ·	IBM_TDB	
-	7	(("709").CLAS.) and description near3 neighbor\$3 and @ad<20001207	USPAT;	2004/05/03 16:25
			US-PGPUB;	
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
-	9	(("709").CLAS.) and describ\$3 near3 neighbor\$3 and @ad<20001207	USPAT;	2004/05/03 15:59
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	ļ	·	IBM_TDB	
-	22	(peer\$1peer or peer or p2p) adj network and (node adj (information or	USPĀT;	2004/05/03 16:22
	}	summary or thumbnail)) and @ad<20001207	US-PGPUB;	
]	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	22	(peer\$1peer or peer or p2p) adj network and (node adj (information or	USPAT;	2004/05/03 16:22
	_	summary or thumbnail or snapshot)) and @ad<20001207	US-PGPUB;	
		1. " " " " " " " " " " " " " " " " " " "	EPO; JPO;	
			DERWENT;	
	}		IBM_TDB	
-	122	(("709").CLAS.) and (neighbor\$3 or nodes or peers) near3 (within or	USPAT;	2004/05/03 16:28
		deep or depth) same topology and @ad<20001207	US-PGPUB;	
			EPO; JPO;	• !
			DERWENT;	
		·	IBM_TDB	
_	52	(("709").CLAS.) and (neighbor\$3 or nodes or peers) near3 (within or	USPAT;	2004/05/03 16:37
_	32	deep or depth) same topology same (information or description or		2004/03/03 10:37
		describ\$3) and @ad<20001207	US-PGPUB;	
		ucscrioss) and (gad~20001207	EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	L

·	0	(("709").CLAS.) and (neighbor\$3 or nodes or peers) near3 (within or deep or depth) near3 (numbera adj (links! or hops!)) and @ad<20001207	USPAT; US-PGPUB;	2004/05/03 16:37
		·	EPO; JPO; DERWENT; IBM TDB	
-	0	(("709").CLAS.) and (within or deep or depth) near3 (numbera adj (links! or hops!)) and @ad<20001207	USPAT; US-PGPUB;	2004/05/03 16:37
		•	EPO; JPO; DERWENT; IBM TDB	
-	15	(("709").CLAS.) and (within or deep or depth) near3 (number adj (links! or hops!)) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO;	2004/05/03 16:56
			DERWENT; IBM_TDB	2004/05/02 17 01
-	33	(("709").CLAS.) and (deep or depth) same (nodes or peers) same search\$3 and @ad<20001207	USPAT; US-PGPUB; EPO; JPO;	2004/05/03 17:01
			DERWENT; IBM_TDB	
-	36	(("709").CLAS.) and links same browser same (lookahead or future) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO;	2004/05/03 17:02
			DERWENT; IBM_TDB	
	19	(("709").CLAS.) and (pre\$1 fetch) same (neighbor\$3 or node or peer) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO;	2004/05/04 10:32
		•	DERWENT; IBM TDB	
-	20	(("709").CLAS.) and (number adj2 connected adj nodes) and @ad<20001207	USPAT; US-PGPUB;	2004/05/04 12:42
			EPO; JPO; DERWENT;	
-	15	(("709").CLAS.) and peer adj network and (number adj2 connections) and @ad<20001207	IBM_TDB USPAT; US-PGPUB;	2004/05/04 11:33
		•	EPO; JPO; DERWENT; IBM_TDB	
-	8	(("709").CLAS.) and peer adj network and (inform or share) same (node or peer or neighbor) near6 connect\$3 and @ad<20001207	USPAT; US-PGPUB;	2004/05/04 11:35
			EPO; JPO; DERWENT;	
-	0	(("709").CLAS.) and (inform or share) adj information adj10 (connect\$3) same (node or peer or neighbor) and @ad<20001207	IBM_TDB USPAT; US-PGPUB;	2004/05/04 11:36
			EPO; JPO; DERWENT;	
-	17	(("709").CLAS.) and (inform\$3 or shar\$3) adj information same (connect\$3) same (node or peer or neighbor) and @ad<20001207	IBM_TDB USPAT; US-PGPUB;	2004/05/04 11:43
		(connects) same (node of peer of neighbor) and (wad~20001207	EPO; JPO; DERWENT;	
	2	(("709").CLAS.) and (other adj connected) near5 (node or peer or neighbor) and @ad<20001207	IBM_TDB USPAT; US-PGPUB;	2004/05/04 11:44
			EPO; JPO; DERWENT;	
-	6	(("709").CLAS.) and peer adj network and (topology) same (monitor\$3 or performance or capabilities) same (connections or connected) and	IBM_TDB USPAT; US-PGPUB;	2004/05/04 11:46
		@ad<20001207	EPO; JPO; DERWENT;	
L	<u> </u>		IBM_TDB	<u> </u>

-	1	(("709").CLAS.) and exchange adj (topology) same (monitor\$3 or performance or capabilities) same (connections or connected) and	USPAT; US-PGPUB;	2004/05/04 11:46
		@ad<20001207	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	25	(("709").CLAS.) and (topology) adj (information or data) same	USPĀT;	2004/05/04 11:48
:		(monitor\$3 or performance or capabilities) same (connections or	US-PGPUB;	
		connected) and @ad<20001207	EPO; JPO;	
		· -	DERWENT;	
			IBM_TDB	
-	12	(("709").CLAS.) and (topology) same content same (monitor\$3 or	USPAT;	2004/05/04 11:48
		performance or capabilities) same (connections or connected) and	US-PGPUB;	
		@ad<20001207	EPO; JPO;	
			DERWENT;	
ŀ			IBM_TDB	
-	17	(("709").CLAS.) and (node adj properties) and @ad<20001207	USPAT;	2004/05/04 12:56
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(("709").CLAS.) and (displays adj2 (connected or connections)) same	USPAT;	2004/05/04 12:58
		(type or kind) adj3 (data or information or content) and @ad<20001207	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	61	(("700") CLAS) and (view\$3 on display\$2) mass6 compaction adi	IBM_TDB	2004/06/04 12:04
-	61	(("709").CLAS.) and (view\$3 or display\$3) near6 connection adj (information or status or statistics or data) and @ad<20001207	USPAT;	2004/05/04 13:04
		(information of status of statistics of data) and @ad~20001207	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	30	(("709").CLAS.) and (view\$3 or display\$3) near6 connection adj	USPAT;	2004/05/04 13:05
- -	30	(information) and @ad<20001207	US-PGPUB;	2004/05/04 15:05
		(mornation) and (gad 20001207	EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
_	80	(("709").CLAS.) and (view\$3 or display\$3 or show\$3 or obtain\$3)	USPAT;	2004/05/04 13:08
1		near 10 connection adj (information) and @ad<20001207	US-PGPUB;	
•		•	EPO; JPO;	
			DERWENT;	
]			IBM_TDB	
-	8	(("709").CLAS.) and (view\$3 or display\$3 or show\$3 or obtain\$3)	USPAT;	2004/05/04 13:10
		near10 connection adj (information) same (content) and @ad<20001207	US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
		(/////ON) CEAC \1 (' . 62 . ' . 62	IBM_TDB	2004/02/04 12 11
-	3	(("709").CLAS.) and (view\$3 or display\$3 or show\$3 or obtain\$3)	USPAT;	2004/05/04 13:11
		near10 connection adj (information) same (range or level or depth or	US-PGPUB;	
		deep) and @ad<20001207	EPO; JPO;	
			DERWENT;	
	84	(("709").CLAS.) and (peer or node) near6 (range or level or depth or	IBM_TDB	2004/05/04 13:13
-	04	deep) near6 link and @ad<20001207	USPAT; US-PGPUB;	2004/03/04 13:13
		ceeps near o mix and agad 20001201	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
.	25	(("709").CLAS.) and (peer or node) same (user or client) same (specified)	USPAT;	2004/05/04 13:25
	-	near4 (range or level or depth or deep) and @ad<20001207	US-PGPUB;	200 1103/07 13.23
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	(("709").CLAS.) and (peer or node) same (user or client) same (specified)	USPAT;	2004/05/04 13:27
		near10 (links!) and @ad<20001207	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			D D	

•	65	(("709").CLAS.) and individual adj (peer or node) near5 (information or	USPAT;	2004/05/04 13:29
		characteristics or reliability or load or topology or connect\$8 or	US-PGPUB;	
		performance) and @ad<20001207	EPO; JPO;	
		,	DERWENT;	
			IBM TDB	